

CE FEM 1.001 A3

Diagramma di portata **I**
Load Diagram **GB**

Courbes de charges **F**
Lastkurven **D**


Curvas de cargas **E**

		CTT 91 - 5											
		m	5	10	15	20	25	30	35	40	45	50	
2.5 t	- 30.63 m	t	2.5	2.5	2.5	2.5	2.5	2.5	2.14	1.83	1.59	1.4	
2.5 t	- 29.53 m	t	2.5	2.5	2.5	2.5	2.5	2.45	2.04	1.73	1.49	1.3	
5 t	- 16.16 m	t	5	5	5	3.93	3.04	2.45	2.04	1.73	1.49	1.3	
2.5 t	- 33.93 m	t	2.5	2.5	2.5	2.5	2.5	2.5	2.41	2.07	1.8		
2.5 t	- 32.74 m	t	2.5	2.5	2.5	2.5	2.5	2.5	2.31	1.97	1.7		
5 t	- 17.88 m	t	5	5	5	4.41	3.42	2.77	2.31	1.97	1.7		
2.5 t	- 37.19 m	t	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.3			
2.5 t	- 35.92 m	t	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.2			
5 t	- 19.58 m	t	5	5	5	4.88	3.8	3.08	2.58	2.2			
2.5 t	- 35 m	t	2.5	2.5	2.5	2.5	2.5	2.5	2.5				
5 t	- 20.68 m	t	5	5	5	5	4.04	3.29	2.75				
2.5 t	- 30 m	t	2.5	2.5	2.5	2.5	2.5	2.5	2.5				
5 t	- 20.76 m	t	5	5	5	5	4.06	3.3					
2.5 t	- 25 m	t	2.5	2.5	2.5	2.5	2.5	2.5					
5 t	- 20.94 m	t	5	5	5	5	4.1						

Altre installazioni **I**
Other configurations **GB**





Autres implantations **F**
Aufstellmöglichkeiten **D**

Otras implantaciones **E**















i Consultateci **I** Consult us **GB** Nous consulter **F** Auf Anfrage **D** Consultarnos **E**

Meccanismi **I** Mechanisms **GB** Mécanismes **F** Antriebe **D** Mecanismos **E**

			
	11 APC 25	31 * kVA	400 V - 50 Hz
	15 AFC 25	40 * kVA	400 V - 50 Hz / 460 V - 60 Hz
	18 AFC 25	41 * kVA	
			2000/14/CE modificata

* Gru senza traslazione / Crane without travelling equipment / Grue sans translation / Krane ohne Schienenfahren / Grúa sin traslación

		m/min	t	kW		
	11 APC 25		6	2.5	11	186 m
			20	2.5		
			40	1.25		
		3	5			
		10	5			
		20	2.5			
15 AFC 25 (VARIANT)		0 ⇌ 1.7	2.5	15	186 m	
		1.7 ⇌ 6	2.5			
		6 ⇌ 28	2.5			
		28 ⇌ 46	1.44			
		46 ⇌ 57	1.1			
		0 ⇌ 0.85	5			
		0.85 ⇌ 3	5			
		3 ⇌ 14	5			
		14 ⇌ 23	2.88			
		23 ⇌ 28.5	2.2			
18 AFC 25 (VARIANT)		0 ⇌ 2.2	2.5	18	310 m	
		2.2 ⇌ 8	2.5			
		8 ⇌ 34	2.5			
		34 ⇌ 55	1.46			
		55 ⇌ 69	1.1			
		0 ⇌ 1.1	5			
		1.1 ⇌ 4	5			
		4 ⇌ 17	5			
		17 ⇌ 27.5	2.92			
		27.5 ⇌ 34.5	2.2			

	DAD 2 2 D1	0 - 22 - 44 m/min	2.2 - 1.5 kW
	DVF 3 4 D5 (VARIANT)	0 ⇌ 6 ⇌ 30 ⇌ 60 m/min	4 kW
	SSR 1 1 65	0.76 r.p.m.	1 × 65 Nm
	TAD 2RP 2M3	0 - 24 m/min	2 × 3 kW
	i		



ARCOMET

Industrieweg 139 - 3583 Paal-Beringen - BELGIUM - T +32 (0)11 450 950 - EMAIL arcomet@arcomet.com - www.arcomet.com

 **TEREX** | COMEDIL